

Various Reasons to choose Grandeur

800x
2400mm

FULLBODY
TILES




MODERN INCEPTION FOR UNIQUE PEOPLE



01 SIZE

PERFECT SIZE
THAT
MAXIMIZE YOUR
ASPIRATION



FULLBODY
800x2400mm


02 APPLICATIONS

The 800x2400mm fullbody tiles are one of the most versatile elements that can be incorporated in any exterior or interior space. Their application is not restricted to walls or floors as they can be installed in a variety of spaces.




KITCHEN UNIT TOP & COUNTER TOP

One of the trendy applications of tiles has been the kitchen countertops. The 800x2400mm tiles give an effortless look to the kitchen with their luxurious charm.



WORK DESK & RECEPTION DESK

The 800x2400mm tiles, with their stain resistance, water resistance, scratch resistance and other features become the best option for a work desk and reception desk as it requires surfaces that ages well.



STAIRCASE

The fullbody 800x2400mm tiles are perfectly suitable to be applied on the staircase as they are resistant to heavy wear and tear. Their durability avoids the edges of the stairs from getting cracked or chipped.







TABLE TOP & FURNITURE

When designing an urban space, the 800x2400mm tiles become the perfect choice for the tabletops and furniture as they give it a clean and elegant look with comfortable functionality.



WINDOW & DOOR SILLS

The 800x2400mm fullbody tiles become the sturdy support structures for window sills and door frames and add details and aesthetic value to the decor of the space.



HEAVY TRAFFIC AREA

The 800x2400mm tiles create a spacious look with their grand size and decreased grout lines in heavy traffic areas like airports, malls, etc. Their durability adds to the functionality of such areas.



03 FEATURES



Easy To Clean

Porcelain tiles are easy to clean.




Stain Resistant

Porcelain tiles are waterproof, no liquid can damage the surface.



Scratch Resistant

Porcelain tiles do not splinter, break or get damaged.



Resistant To Acids

Porcelain tiles are resistant to acids found in food and cleaning products.




Waterproof

Porcelain tiles are easy to clean.



Frost Resistant

A porcelain tile floor will not change as a result of sharp temperature fluctuations result of extreme cold.



Resistant To Thermal Shock

A porcelain tile floor will not change as a result of sharp temperature fluctuations result of extreme heat.



Fire Resistant

Porcelain tiles are not flammable, reduce the spread of flames, do not burn, and do not emit toxic fumes.



Prevent Bacterial Growth

Porcelain tiles are completely hygienic and inhospitable for bacteria, mites, molds, and fungi.

04 EDGE PROFILES



EASED EDGE



1/2" ROUND
TOP & BOTTOM



HALF
BULLNOSE



1/4" BEVEL



1/4" BEVEL
TOP & BOTTOM



1/2" BEVEL



DEMI
BULLNOSE



FULL
BULLNOSE



COVE



OGEE



OGEE
BULLNOSE




DUPONT

SNP

A FINE COMPOSITION OF URBAN STYLE






**CRYSTAL
WHITE**

SIZE - 800x2400mm

TYPOLOGY - FULLBODY

THICKNESS - 15mm

FINISH - GLOSSY




**SANDUNE
GREY**

SIZE - 800x2400mm

TYPOLOGY - FULLBODY

THICKNESS - 15mm

FINISH - GLOSSY





**ORRA
CHIPS**

SIZE - 800x2400mm

TYPOLOGY - FULLBODY

THICKNESS - 15mm

FINISH - GLOSSY




**TERRAZO
GREY**

SIZE - 800x2400mm

TYPOLOGY - FULLBODY

THICKNESS - 15mm

FINISH - GLOSSY



TERRAZO GREY

<u>TYPOLOGY</u>	<u>THICKNESS</u>	<u>SIZE</u>	<u>FINISH</u>
FULLBODY	15mm	800x2400mm	GLOSSY






**NERO
CHIPS**

SIZE - 800x2400mm

TYPOLOGY - FULLBODY

THICKNESS - 15mm

FINISH - GLOSSY




**GRAFITO
CHIPS**

SIZE - 800x2400mm

TYPOLOGY - FULLBODY

THICKNESS - 15mm

FINISH - GLOSSY




**PEARL
BARLEY**

SIZE - 800x2400mm

TYPOLOGY - FULLBODY

THICKNESS - 15mm

FINISH - GLOSSY



**PEARL
BIANCO**


SIZE - 800x2400mm

TYPOLOGY - FULLBODY

THICKNESS - 15mm

FINISH - GLOSSY

AVAILABLE IN MATT FINISH
AS '**M-PEARL BIANCO**'



GRAFITO CHIPS

<u>TPOLOGY</u>	<u>THICKNESS</u>	<u>SIZE</u>	<u>FINISH</u>
FULLBODY	15mm	800x2400mm	GLOSSY






**CREMA
CHIPS**

SIZE - 800x2400mm

TYPOLOGY - FULLBODY

THICKNESS - 15mm

FINISH - GLOSSY




**BARRY
GREY**

SIZE - 800x2400mm

TYPOLOGY - FULLBODY

THICKNESS - 15mm

FINISH - GLOSSY




**FERRO
CHIPS**

SIZE - 800x2400mm

TYPOLOGY - FULLBODY

THICKNESS - 15mm

FINISH - GLOSSY




**LAKHA
RED**

SIZE - 800x2400mm

TYPOLOGY - FULLBODY

THICKNESS - 15mm

FINISH - GLOSSY




F E R R O C H I P S


TYPOLOGY
FULLBODY

THICKNESS
15mm

SIZE
800x2400mm

FINISH
GLOSSY





**ELEGANT
WHITE**

SIZE - 800x2400mm

TYPOLOGY - FULLBODY

THICKNESS - 15mm

FINISH - GLOSSY

AVAILABLE IN MATT FINISH
AS 'VINTAGE WHITE'



**ORRA
GREY**


SIZE - 800x2400mm

TYPOLOGY - FULLBODY

THICKNESS - 15mm

FINISH - GLOSSY

AVAILABLE IN MATT FINISH
AS 'LARIX GREY'



**GRAFITO
BLACK**

SIZE - 800x2400mm

TYPOLOGY - FULLBODY

THICKNESS - 15mm

FINISH - GLOSSY

AVAILABLE IN MATT FINISH
AS 'LARIX BLACK'

ORRAGREY


TYPOLOGY
FULLBODY

THICKNESS
15mm

SIZE
800x2400mm

FINISH
GLOSSY





**CREMA
IVORY**


SIZE - 800x2400mm

TYPOLOGY - FULLBODY

THICKNESS - 15mm

FINISH - **GLOSSY**

AVAILABLE IN MATT FINISH
AS 'CREMA SCURO'



**FERRO
BROWN**


SIZE - 800x2400mm

TYPOLOGY - FULLBODY

THICKNESS - 15mm

FINISH - **GLOSSY**

AVAILABLE IN MATT FINISH
AS 'MARRON BROWN'



JAISALMER

SIZE - 800x2400mm

TYPOLOGY - FULLBODY

THICKNESS - 15mm

FINISH - **GLOSSY**

J A I S A L M E R

TPOLOGY

FULLBODY

THICKNESS

15mm

SIZE

800x2400mm

FINISH


GLOSSY



CARVING

AN ESSENCE OF CONTEMPORARY EXPRESSION







**SPARKLE
WHITE**

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - CARVING





**SPARKLE
GREY**

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - CARVING





**SPARKLE
NERO**

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - CARVING




**SPARKLE
BROWN**

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - CARVING



SPARKLE WHITE

TYPOLOGY
COLOR BODY

THICKNESS
15mm

SIZE
800x2400mm

FINISH
CARVING






**SPARKLE
JAISALMER**

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - CARVING




**M TOPAZ
WHITE**

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - CARVING




**ACERO
WHITE**

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - CARVING



**PACIFIC
WHITE**

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - CARVING



S P A R K L E J A I S A L M E R

TYPOLOGY

COLOR BODY

THICKNESS

15mm

SIZE

800x2400mm

FINISH


CARVING



GLAZED BODY

AN AESTHETICAL
APPEARANCE
WITH A
SOPHISTICATED
TOUCH





**NANO
WHITE**

SIZE - 800x2400mm

TYPOLOGY - GLAZED BODY

THICKNESS - 15mm

FINISH - GLOSSY



**ZED
BLACK**

SIZE - 800x2400mm

TYPOLOGY - GLAZED BODY

THICKNESS - 15mm

FINISH - GLOSSY



PREVIEW OF NANO WHITE

Z E D B L A C K

<u>TYPOLOGY</u>	<u>THICKNESS</u>	<u>SIZE</u>	<u>FINISH</u>
GLAZED BODY	15mm	800x2400mm	GLOSSY



PRINTED ARLO SERIES





**SPIDER
STATUARIO**

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY

FACE 1



**IMPERIAL
WHITE**

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY

FACE 1



FACE 2



**NEXA
WHITE**


SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY

FACE 1



**ATLANTIC
WHITE**

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY

FACE 1



FACE 2



FACE 3



ATLANTIC WHITE


TYPOLOGY
COLOR BODY

THICKNESS
15mm

SIZE
800x2400mm

FINISH
GLOSSY





**HELIX
WHITE**

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY

FACE 1



FACE 2



**WHITE
TOPAZ**

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY

FACE 1



**GOLDEN
OTHELLO**

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY

FACE 1



**BIANCO
LASA**

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY

FACE 1



WHITE TOPAZ

TYPOLOGY
COLOR BODY

THICKNESS
15mm

SIZE
800x2400mm

FINISH
GLOSSY





**EXOTIC
WHITE**

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY

FACE 1



**MATRIX
WHITE**

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY

FACE 1



PREVIEW OF EXOTIC

MATRIX WHITE

TPOLOGY
COLOR BODY

THICKNESS
15mm

SIZE
800x2400mm

FINISH
GLOSSY



BLACK COLOR BODY

AN IMPRESSIVE
IMPACT
GIVEN BY
CLASSY SHADES





**SAHARA
BLACK**

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY


THICKNESS - 15mm

FINISH - GLOSSY

FACE 1



FACE 2



**NERO
MARQUINA**

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY

FACE 1



**MUSHROOM
BLACK**

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY

FACE 1



**SONATA
BLACK**

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY

FACE 1



M U S H R O O M B L A C K

TYPOLOGY
COLOR BODY

THICKNESS
15mm

SIZE
800x2400mm

FINISH
GLOSSY





**THUNDER
BLACK**

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY

FACE 1



FACE 2



**PORTORO
GOLD**

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY

FACE 1



FACE 2



FACE 3



**BLACK
TIGER**

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY

FACE 1



**COSMOS
BLACK**

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY

FACE 1



P O R T O R O G O L D

TYPOLOGY

COLOR BODY

THICKNESS

15mm

SIZE

800x2400mm

FINISH

GLOSSY





**UNIQUE
NEGRO**


SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY

FACE 1



**OPAL
BLUE**

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY

FACE 1



**EMERALD
QUARTZ**

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY

FACE 1



FACE 2



**MONET
BLACK**

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY

FACE 1



OPAL BLUE

TYPOLOGY
COLOR BODY

THICKNESS
15mm

SIZE
800x2400mm

FINISH
GLOSSY





VOLGA BLUE

SIZE - 800x2400mm

TPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY

FACE 1



FACE 2



TAURAS BLACK



SIZE - 800x2400mm

TPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY

FACE 1



LUMURIA NEGRO

SIZE - 800x2400mm

TPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY

FACE 1



TAURAS BLACK

TYPOLOGY
COLOR BODY

THICKNESS
15mm

SIZE
800x2400mm

FINISH
GLOSSY



BEIGE COLOR BODY

TIMELESS DESIGN WITH A TRENDY FLAIR





**COSMIC
BEIGE**

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY

FACE 1



BOTTOCHINO

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY

FACE 1



**BRECCIA
MAX**

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY

FACE 1



**DYNA
TURKISH**

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY

FACE 1



DYNATURKISH

TYPOLOGY
COLOR BODY

THICKNESS
15mm


SIZE
800x2400mm

FINISH
GLOSSY



RED COLOR BODY

BOLD HUES
CREATE SPACES
WITH A STRONG
PERSONALITY





**FIRE
EMPRA**

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY

FACE 1



**RED
GRANITE**

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY

FACE 1



PREVIEW OF FIRE EMPRA



MARMO DE BERRY

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY

FACE 1



ROSSO RIVER

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY

FACE 1



TRAVERTINE RED

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY

FACE 1




PRINTED ADMIRA SERIES

VERSATILE SURFACES WITH PERFECT CHROMATIC HARMONY



ADMIRA
COLLECTION



**CARPECIA
WINE**

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY

FACE 1



**MANGO
ONYX**

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY

FACE 1



PREVIEW OF CARPECIA WINE

HOW WE ARE DIFFERENT FROM GRANITE & QUARTZ

AREA OF COMPARISON		GRANITE	QUARTZ STONE
Flexural Strength	> 40 Mpa	> 21 Mpa	40 - 50 Mpa
Apparent Density	2.20 - 2.70 kg/dm ³	2.20 - 2.40 kg/dm ³	2.20 - 2.45 kg/dm ³
Abrasion Resistance	> 25 mm	> 16.4 - 18 mm	20 - 22 mm
Colour Consistency	As Per Standard	Variable	As Per Standard
Porosity	Low	High	High
Frost Resistance	Pass	Pass	Fail
Cost Of Onsite Polishing	Nil	Extra	Nil
Water Absorption %	0.08	0.1	0.2
Wastage	No	Yes	No
Pinhole Cracks	No	Yes	No
Uniformity In Quantity Supplied	Yes	No	No
Laying & Completion Time	Low	High	Average
Maintenance	Low	High	High
Size Consistency	Yes	No	Yes
Thickness	Fix	Variable	Fix
Hardness	6	4	6
Breaking Strength	High	Low	High
Glossiness	95+	70	55
Chemical Resistance	Resistance	Reactable	Reactable
Stain Free	Yes	No	No

All pictures are shown for illustration purposes only. Kindly note, actual colors may vary and color variation with batch change may occur.

TECHNICAL SPECIFICATION

TEST DISCRIPTION			
CHARACTERISTIC	TEST METHOD	STANDARD AS PER ISO-1 3006/EN1441 1 GROUP	
Deviation in Length	IS-13630-1	±0.50%	±0.10%
Deviation in Width	IS-13630-1	±0.50%	±0.10%
Deviation in Thickness	IS-13630-1	±5.00%	±5.00%
Straightness of Sides	IS-13630-1	±0.50%	±0.10%
Rectangularity	IS-13630-1	±0.60%	±0.15%
Surface Flatness	IS-13630-1	±0.50%	±0.20%
Surface Quality	IS-13630-1	Min. 95%	Min. 95%
PHYSICAL PROPERTIES			
Water Absorption	IS-13630-2	≤0.50%	≤0.50%
Modulus of Rupture(N/mm ²)	IS-13630-6	Min. 35N/mm ²	Min. 37N/mm ²
Breaking Strength(N)	IS-13630-6	≥7.5mm-1300N	≥7.5mm-1400N
Moisture Expansion(mm/m)	IS-13630-3	0.06 Max	0.01 Max
Scratch Hardness of Surface	IS-13630-13	Min. 4	Min. 4
Resistance of Surface Abrasion(Glazed Tiles)	IS-13630-11	As pr Mfg.	Class II Min.
Coefficient of Linear Thermal Expansion	IS-13630-4	As pr Mfg.	6.5x10 ⁻⁶ Max.
Thermal Shock Resistance	IS-13630-5	10 Cycles Min.	10 Cycles Min.
Crazing Resistance	IS-13630-9	As pr Mfg.	5 Cycles at 7.5Bar Pressure
Impact Resistance-Coefficient of Restitution	IS-13630-14	As pr Mfg.	0.55 Min
Frost Resistance	IS-13630-10	As pr Mfg.	No Damage
Bulk Density (g/cc)	IS-13630-2	>2.0 gm/cc	>2.0 gm/cc
CHEMICAL PROPERTIES			
Resistance of Staining	IS-13630-8	Class I Min.	Class II
Resistance of Household Chemicals	IS-13630-8	Class AA Min.	Class AA
Resistance to Acids & Alkalis	IS-13630-8	As pr Mfg.	Min. Class A
Slip Resistance	150-13006/EN1444 Group B A	As pr Mfg.	As pr Mfg.

PACKING DETAIL

No.	Size	Thickness (approx.)	Pieces/Box	Area/Box	Wt./Box (approx.)
01	800x2400mm	15mm	1 pcs.	1.92 sq. mtr.	66 Kgs.